



Interference Testing And Consultancy Services (Pty) Ltd

Private Bag X13
LYNN EAST
0039
Republic of South Africa

Privaatsak X13
LYNN EAST
0039
Republiek van Suid-Afrika

Reg 88/002032/07

Nieshout street Plot 44, Kameeldrift East, Pretoria. Tel: 012 8081730 Fax: 012 808 1733. E-mail: hans@itc-services.com

CERTIFICATE OF CONFORMANCE

COC.NO:	4909-3/11	CONTRACTOR	ITC SERVICES (PTY) LTD
CUSTOMER	Nemtek	ADDRESS	PRIVATE BAG X13 LYNN EAST 0039
ADDRESS	PO Box 43025 INDUSTRIA 2042	DATE	11/07/2011

We hereby certify that the **Nemtek Petstop Electric Fence Energizer model nr: Pet Energizer, serial number: 011116007** were tested according to:

- SABS CISPR 14-1 (2005): *'Limits and methods of measurement of radio disturbance characteristics of electrical motor-operated and thermal appliances for household and similar purposes, electric tools and electric apparatus'*
- SABS CISPR 14-2 (2001): *'Electromagnetic compatibility - Requirements for household appliances, electric tools and similar apparatus Part 2: Immunity - Product family standard'*
 - IEC 61000-4-2 (2008): *Testing and measurement techniques – Electrostatic discharge immunity test*
 - IEC 61000-4-3 (2008): *Testing and measurement techniques –Radiated, radio-frequency, electromagnetic field immunity test*
 - IEC 61000-4-4 (2004): *Testing and measurement techniques – Electrical Fast Transient / Burst*
 - IEC 61000-4-5 (2005): *Testing and measurement techniques – Surge immunity test*
 - IEC 61000-4-6 (2005): *Testing and measurement techniques – Immunity to conducted disturbances, induced by radio-frequency fields*
 - IEC 61000-4-11(2005): *Testing and measurement techniques – Voltage Dips, Short Interruptions and voltage variations immunity test*
 - IEC 61000-3-2 (2005): *Limits for Harmonic Current Emissions (Equipment Input Current ≤16 A per phase)*
 - IEC 61000-3-3 (2006): *Limits – Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems – Equipment with rated current ≤16 A per phase*

And comply with the requirements of the specification.

TEST RESULT SUMMARY

CISPR 14-1 Radiated emissions	Pass
CISPR 14-1 Conducted Emissions (Output Leads)	Pass
IEC 61000-3-2 Harmonic Current Emissions	Pass
IEC 61000-3-3: voltage changes, voltage fluctuations and flicker	Pass
IEC 61000-4-2 Electrostatic discharge immunity test	Pass Criteria A
IEC 61000-4-3: Radiated, radio-frequency, electromagnetic field immunity test	Pass Criteria A
IEC 61000-4-4: Electrical Fast Transient / Burst	Pass Criteria A
IEC 61000-4-5: Surge immunity test	Pass Criteria A
IEC 61000-4-6: Immunity to conducted disturbances, induced by radio-frequency fields	Pass Criteria A
IEC 61000-4-11: Voltage dips	Pass Criteria A

NAME OF CERTIFIER

Johan Deysel

EMC Test Engineer

SIGNATURE OF CERTIFIER

11/07/2011